

# Mirror Man by David Thomas — Electrics — Danny Grace, Designer — 4/11/1

#	Type	Chan	Qty	CIRC	Gang w/	Use	Notes
<b>FOH #1</b>							
1	ERS-Med. Beam w/Pattern	17	CL			Slants - C B	Pattern Holder - Type 'B'
2	ERS - Narrow Beam	4	O63			Frontal - B	Hard Focus
3	ERS-Med. Beam w/Glass Pattern	15	CL			Glass Pattern - B	Rosco 'BG' Pattern Holder
4	ERS-Med. Beam w/Pattern	18	CL			Slants - D C	Pattern Holder - Type 'B'
5	ERS-Med. Beam w/Glass Pattern	16	CL			Glass Pattern - C	Rosco 'BG' Pattern Holder
6	ERS - Narrow Beam	7	O63			Frontal - C	Hard Focus
7	ERS-Med. Beam w/Pattern	19	CL			Slants - A D	Pattern Holder - Type 'B'
8	ERS-Med.-Wide Beam w/Pattern & Motion Wheel (we carry)	69	CL			Motion Wheel* * Requires Power Source	Pattern Holder - Type 'B'
9	ERS-Med. Beam w/Pattern	14	CL			Glass Pattern - A	Rosco 'BG' Pattern Holder
10	ERS - Narrow Beam	1	O63			Frontal - A	Hard Focus

## 1st Electric - Downstage Edge

1	ERS - Med. Beam	24	179			Sign - N	Shutter to Sign Edges
2	ERS - Narrow Beam	6	CL			SL - B	Hard Focus
3	ERS - Narrow Beam	5	52			SR - B	Hard Focus
4	ERS - Narrow Beam	9	CL			SL - C	Hard Focus
5	ERS - Med. Beam	25	179			Sign - H	Shutter to Sign Edges
6	ERS - Narrow Beam	12	CL			SL - D	Med. Focus
7	ERS - Narrow Beam	8	52			SR - C	Hard Focus
8	ERS - Narrow Beam	3	CL			SL - A	Hard Focus
9	ERS - Med. Beam	10	CL			Frontal - D	Hard Focus
10	ERS - Med. Beam	11	52			SR - D	Med. Focus
11	ERS - Narrow Beam	2	52			SR - A	Hard Focus

## 2nd Electric - Midstage

1	PAR 64 - Med.	50	106			C - Red	
2	PAR 64 - Med.	49	106			F- Red	
3	PAR 64 - Med.	44	124			C - Green	
4	PAR 64 - Med.	43	124			E-F - Green	
5	8-10" Fresnel - 1K	22	48			Washer Moon	
6	6" Fresnel - 500 w	20	CL			Washer Moon Diffusion in Door Window -- No Glass	Inside Washer
7	PAR 64 - Med.	40	O22			C - Amber	
8	PAR 64 - Med.	39	O22			E - Ember	
9	8-10" Fresnel - 1K	21	O15			Washer Moon	Yellow
10	ACL or Beam or PC	33	58		Ganged	B - Rear Flash	
11	ACL or Beam or PC	33	195		w/above	B - &	
12	ACL or Beam or PC	33	58		w/above	B- Beam	
13	ACL or Beam or PC	33	195		w/above	B	
14	ERS - Med.-Wide - Pattern	23	136			Telephone Poles	Pattern Holder Type 'B'

**2nd Electric (cont)**

15	ACL or Beam or PC	32	58		Ganged	A - Rear Flash	
16	ACL or Beam or PC	32	195		w/above	A - &	
17	ACL or Beam or PC	32	58		w/above	A - Beam	
18	ACL or Beam or PC	32	195		w/above	A	
19	ERS - Med. Beam	13	52			D - Rear Spot	Hard Focus
20	PAR 64 - Med.	48	106			C - Red	
21	PAR 64 - Med.	42	124			C - Green	
22	ERS - Med. Beam	26	179			Sign - G	Shutter to Sign Edges
23	PAR 64 - Med.	38	022			C - Amber	
24	PAR 64 - Med.	47	106			A - Red	
25	PAR 64 - Med.	41	124			A - Green	
26	PAR 64 - Med.	37	022			A - Amber	

**3rd Electric - Upstage (3 feet downstage of Cyc)**

1	ACL or Beam or PC	36	58		Ganged	F - Rear Flash	
2	ACL or Beam or PC	36	195		w/above	F - or	
3	ACL or Beam or PC	36	58		w/above	E - Beam	
4	ACL or Beam or PC	36	195		w/above	E	
5	PAR 64 - Med.	46	124		w/9 on #3	SL - Green	
6	PAR 64 - Med.	52	106		w/10 on #3	SL - Red	
7	PAR 64 - Med.	54	115		w/8 on #3	CL - Blue	
8	PAR 64 - Med.	54	115		w/7 on #3	CL - Blue	
9	PAR 64 - Med.	46	124		w/5 on #3	SR - Green	
10	PAR 64 - Med.	52	106		w/6 on #3	SR - Red	
11	ACL or Beam or PC	35	CL		Ganged	CL - Flash or	
12	ACL or Beam or PC	35	CL		w/above	CL - Rear Beam	
13	ACL or Beam or PC	35	CL		w/above	CL	
14	ACL or Beam or PC	35	CL		w/above	CL	
15	PAR 64 - Med.	53	115		w/19 on #3	SL - Blue	
16	PAR 64 - Med.	51	106		w/20 on #3	SL - Red	
17	PAR 64 - Med.	45	124			- Green	
18	PAR 64 - Med.	45	124			CL - Green	
19	PAR 64 - Med.	53	115		w/15 on #3	SR - Blue	
20	PAR 64 - Med.	51	106		w/16 on #3	SR - Red	
21	ACL or Beam or PC	34	58		Ganged	C - Flash	
22	ACL or Beam or PC	34	195		w/above	C - or	
23	ACL or Beam or PC	34	58		w/above	D - Rear Beam	
24	ACL or Beam or PC	34	195		w/above	D	

**SR - Floor**

1	ACL or Beam or PC	27	CL		Ganged	Floor - Thru	
2	ACL or Beam or PC	27	58		w/above	Junk	
3	ACL or Beam or PC	27	CL		w/above	at Floor Level or	
4	ACL or Beam or PC	27	58		w/above	1' - 0"	

**SL - Floor**

1	ACL or Beam or PC	28	58		Ganged	Floor - Thru Junk at Floor Level or 1' - 0"	
2	ACL or Beam or PC	28	CL		w/above		
3	ACL or Beam or PC	28	58		w/above		
4	ACL or Beam or PC	28	CL		w/above		

**USR - Floor-Rear**

1	ACL or Beam or PC	29	CL		Ganged	Rear Floor Flash and Blinding	
2	or	29	CL		w/above		
3	2 - 2K Fresnels	29	CL		w/above		
4	"	29	CL		w/above		

**USC - Floor-Rear**

1	ACL or Beam or PC	30	CL		Ganged	Rear Floor Flash and Blinding	
2	or	30	CL		w/above		
3	2 - 2K Fresnels	30	CL		w/above		
4	"	30	CL		w/above		

**USL - Floor-Rear**

1	ACL or Beam or PC	31	CL		Ganged	Rear Floor Flash and Blinding	
2	or	31	CL		w/above		
3	2 - 2K Fresnels	31	CL		w/above		
4	"	31	CL		w/above		

**SR - Red Neon Boom**

1	PAR or PC	55	26		w/3 on same		
2	PAR or PC	56	27		w/4 on same		
3	PAR or PC	55	26		w/1 on same		
4	PAR or PC	56	27		w/2 on same		

**35mm Slide Position -- AC only w/switch extension to off Stage**

**Sun Rise/Sun Set - Floor Beam**

1	PAR or PC	57	193		w/3 & 5 of same	Warm Light	
2	PAR or PC	58	63		w/4 & 6 of same	Cool Light	
3	PAR or PC	57	193		w/1 & 5 of same	Warm Light	
4	PAR or PC	58	63		w/2 & 6 of same	Cool Light	
5	PAR or PC	57	193		w/1 & 3 of same	Warm Light	
6	PAR or PC	58	63		w/2 & 4 of same	Cool Light	

**Carnival Light Floor Beam**

1	PAR or PC	59	26		Bright Red-Carnival	Chase Program 1, 2, 3, 4, 5, and 6
2	PAR or PC	60	158		Orange-Carnival	
3	PAR or PC	61	124		Green - Carnival	
4	PAR or PC	62	48		Rose Purple - Carn	Variable Speed Would be Nice
5	PAR or PC	63	15		Yellow - Carnival	
6	PAR or PC	64	328		Pink - Carnival	

**CYC Position**

1	Venue Choice	67	195		SL - CYC	
2	Venue Choice	66	195		C - CYC	
3	Venue Choice	65	195		SR - CYC	